

Product data sheet

Characteristics

2036CC3NX-WE

Room Access Card Operated Switch, 2000 Series, 250VAC, 1 x 16A/2 x 10A, with Neon Indicator

Main

Range of product	Series 2000
Product brand	Clipsal
Assembly Type	Basic element with full cover plate



Complementary

Local signalling	without
[Ue] rated operational voltage	250 V AC
Rated current	16 A
Load type	Fluorescent 16 A LEDi lamp 250 W
Marking	Without marking
Actuator	Room access card

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	7.6 cm
Package 1 Length	11.6 cm
Package 1 Weight	131 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	11.9 cm
Package 2 Width	8.3 cm
Package 2 Length	17.9 cm
Package 2 Weight	700 g

Offer Sustainability

Packaging without single use plastic	No
Packaging made with recycled cardboard	Yes
REACH Regulation	 REACH Declaration
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
RoHS exemption information	 Yes

China RoHS Regulation

 [China RoHS Declaration](#)

Take-back

No
