

Product data sheet

Characteristics

230DRAQ

Resimax Meterbox 21 module - H680 x W470 x D280 mm



Main

| | |
|--------------------|--------------------------|
| Range of product | Resi MAX |
| Product type | Meter box |
| Enclosure type | Plain door enclosure |
| Device application | Metering Distribution |
| Targeted country | Australia |
| Targeted region | Queensland |

Complementary

| | |
|------------------------|---|
| Enclosure mounting | Semi flush Surface |
| Number of modules | 21 |
| Provided equipment | Enclosure Earth and neutral grid assembly Removable meter panel Fascia plate DIN rail |
| Function available | Cable protection slide |
| Protection device type | Miniature circuit breaker (MCB) - 63 A - 2P - 6 kA |
| Cable entry | Knock-out top and bottom Knock-out rear |
| Type of door | Ventilated removable door with door retainer |
| Door opening side | Right |
| Lock type | Padlockable |
| Material | Iron (galvanised) |
| Surface finish | Epoxy powder coat |
| Width | 470 mm |
| Height | 680 mm |
| Depth | 280 mm |
| Colour | Beige |

Environment

| | |
|-------------------------|-------------|
| IP degree of protection | IP23 |
| Standards | AS/NZS 3000 |

Packing Units

| | |
|------------------------------|---------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Weight | 17000 g |
| Package 1 Height | 295 mm |
| Package 1 width | 695 mm |
| Package 1 Length | 485 mm |

Offer Sustainability

EU RoHS Directive

Pro-active compliance (Product out of EU RoHS legal scope)  [EU RoHS Declaration](#)