

Product data sheet Characteristics

56SWH363-GY

Surface Switch, Clipsal - 56 Series, 1 Gang, 3 Pole, 690VAC, 63A, Heavy Duty





Main

Mani	
Range of product	Series 56
Range	Clipsal - 56 Series
Product brand	Clipsal
Product or component type	Switch
Assembly Type	Basic element with full cover plate
Assembly Type Device application	Basic element with full cover plate Control
	·
Device application	Control

Complementary

Poles description	3P
Control type	Rotary knob
Number of poles	3
Installation Type	Surface
Material	PC (polycarbonate)
Tightening torque	0.8 N.m
Local signalling	without
[Ue] rated operational voltage	500 V AC 50 Hz
Rated current	63 A
Marking	Without marking
Mounting Type	By screws
Breaking capacity	63 kA
Targeted country	Australia
Height	204 mm
Width	101 mm
Depth	172 mm
Net weight	1.217 kg
Motor M-rating AS3133	M320 at 690 V
Switch function	3-pole
Rotary handle padlocking	2 padlocks 8 mm

Environment

Ambient air temperature for operation	-2575 °C
IP degree of protection	IP66 conforming to AS 60529
Standards	AS/NZS 3133

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	11.0 cm	
Package 1 Width	21.0 cm	
Package 1 Length	22.0 cm	
Package 1 Weight	1132.0 g	

Offer Sustainability

Sustainable offer status	Green Premium product	
REACh Regulation	☑ REACh Declaration	
EU RoHS Directive	Compliant with Exemptions	
China RoHS Regulation	[™] China RoHS Declaration	
RoHS exemption information	€ Yes	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	No need of specific recycling operations	

Life Is On