

Product data sheet

Characteristics

C2032VTB-WE

Classic C2000 Series, Permanent Connection Unit 16A



Main

| | |
|---------------------|-------------------------------------|
| Range of product | Series C2000 |
| Product brand | Clipsal |
| Device presentation | Basic element with full cover plate |

Complementary

| | |
|--------------------------------|---------------------------------|
| Number of rocker | 1 |
| Local signalling | without |
| [Ue] rated operational voltage | 250 V |
| Rated current | 16 A 16 AX, fluorescent lamp |
| Marking | Without marking |
| Actuator | Rocker |

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Weight | 0.118 kg |

Offer Sustainability

| | |
|--------------------------|--|
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| China RoHS Regulation | China RoHS Declaration |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.