

Product data sheet

Characteristics

GV1G02

Linery, TeSys Deca - flexible connection - 3P
- with contactor LC1D09...25



Main

Range of product	TeSys GV2 TeSys Deca
Range	Linery
Product name	FT
Device short name	GV1G
Product or component type	Flexible connection
Accessory / separate part category	Connection accessory
Poles description	3P
Range compatibility	TeSys GV2 TeSys Deca
Product compatibility	LC1D09...D38
[le] rated operational current	25 A

Complementary

Net weight	0.013 kg
Quantity per set	Set of 10

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	9.0 cm
Package 1 Length	12.0 cm
Package 1 Weight	11.0 g
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Height	9.0 cm
Package 2 Width	3.5 cm
Package 2 Length	12.0 cm
Package 2 Weight	113.0 g
Unit Type of Package 3	S01
Number of Units in Package 3	250
Package 3 Height	15.0 cm
Package 3 Width	15.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	2.994 kg

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End Of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Contractual warranty

Warranty	18 months
----------	-----------