

Product data sheet

Characteristics

NSYZZ553G

Thalassa, Polyester glassreinf. plinth for encl.
PLAZ(T)53 front opening IP44-IK10 RAL7035



Main

Range	Thalassa
Accessory / separate part category	Enclosure accessory
Product or component type	Plinth
Anwendung	Multi-purpose
Nennmaße des Gehäuses	-
Device composition	Fixing elements 2 front panel 2 side part
Range compatibility	Thalassa (Thalassa PLA)

Complementary

Fixing mode	By screws - on side parts location
Colour	Plinth: grey (RAL 7035)
Height	500 mm
Width	535 mm
Depth	310 mm

Environment

IP degree of protection	IP44
IK degree of protection	IK10

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.0 cm
Package 1 Width	52.0 cm
Package 1 Length	56.0 cm
Package 1 Weight	12.2 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile