

## Product data sheet

### Characteristics

# PDLSE2

2-Way x 1 Surface Enclosure; 1-Pole and 1/2-Pole Knockouts Opening, ABS, White



#### Main

|                           |  |
|---------------------------|--|
| Range of product          | PDL Distribution Equipment Accessories |
| Product or component type | Enclosure                              |
| Colour tint               | White                                  |
| Quantity per set          | Set of 10                              |
| Type of packing           | Carton                                 |

#### Complementary

|                        |  |
|------------------------|--|
| Material               | ABS (acrylonitrile butadiene-styrene)  |
| Surface finish         | Glossy   |
| Installation direction | Vertical   |
| Height                 | 133 mm   |
| Width                  | 53 mm  |
| Depth                  | 70 mm  |
| Device mounting        | Surface  |
| Number of modules      | 1  |
| Number of ways         | 2 ways   |
| Cable entry            | Conduit entry of 25 mm diameter<br>Cut-out front<br>Knock-out top and bottom |

#### Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type of Package 1       | PCE      |
| Number of Units in Package 1 | 1        |
| Package 1 Height             | 5.5 cm   |
| Package 1 Width              | 7.0 cm   |
| Package 1 Length             | 13.0 cm  |
| Package 1 Weight             | 0.107 kg |

#### Offer Sustainability

|                   |   |
|-------------------|---|
| EU RoHS Directive | Under investigation   |
| WEEE              | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.