## A9N15650

Acti 9 - fuse-disconnector STI - 2 poles - 10 A - for fuse 8.5 x 31.5 mm





Main	
Range	Acti9
Product name	Acti9 STI
Product or component type	Fuse-disconnector
Device short name	STI
Poles description	2P

Complementary
---------------

[In] rated current	2 A	
	4 A	
	6 A	
	10 A	
Fuse curve	GG	
	AM	
Fuse size	8.5 x 31.5 mm	
[Ue] rated operational voltage	400 V AC	
[Ui] rated insulation voltage	500 V AC 50/60 Hz	
Mounting mode	Clip-on	
Mounting support	DIN rail	
9 mm pitches	4	
Height	81 mm	
Width	36 mm	
Depth	75 mm	
Colour	White	
Connections - terminals	Screw clamp terminals1 cable(s) 0.7510 mm² rigid	
	Screw clamp terminals1 cable(s) 0.56 mm² flexible	
	Screw clamp terminals2 cable(s) 0.754 mm² rigid	
	Screw clamp terminals2 cable(s) 0.56 mm² flexible	
Wire stripping length	12 mm	
Tightening torque	2 N.m	

## Environment

Standards	IEC 60269-1/2 IEC EN 60947-3	
IP degree of protection	IP20	
Pollution degree	3	
Ambient air temperature for operation	-2060 °C	
Ambient air temperature for storage	-4080 °C	

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.6 cm
Package 1 Width	7.5 cm
Package 1 Length	8.5 cm
Package 1 Weight	109.0 g
Unit Type of Package 2	BB1
Number of Units in Package 2	6
Package 2 Height	8.6 cm
Package 2 Width	9.2 cm
Package 2 Length	22.2 cm
Package 2 Weight	714.0 g
Unit Type of Package 3	S03
Number of Units in Package 3	72
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	9.055 kg

## Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EPEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Halogen content performance	Halogen free product