# E8331SRY800ZB\_WG

Wiser, AvatarOn, switch, 800 W, Wine Gold





#### Main

Product brand	Schneider Electric
Range	AvatarOn
Product or component type	Connected switch
Concentrator compatibility	Wiser hub generation 1
Number of rocker	1
Mobile App name	Wiser by SE

Complementary

Device presentation  Load type	Complete product Incandescent lamp: Halogen lamp: Fluorescent lamp: LED lamp: Exhaust fan:
Load type	Halogen lamp: Fluorescent lamp: LED lamp: Exhaust fan:
	Mine and
Colour tint	Wine gold
[Ue] rated operational voltage	200240 V AC 50/60 Hz 4.04 A 100120 V AC 50/60 Hz 4.44 A
Rated power in W	800 W
Local signalling	Status indication: LED (white/blue) Programmable: LED (green/red/orange)
Communication network type	Wireless Zigbee (2.4 GHz) at < 50 m
Connections - terminals	Brass terminal, 12.5 mm² (AWG 18AWG 13) solid Brass terminal, 1 x 2.5 mm² Brass terminal, 2 x 1.5 mm²
Device mounting	Flush
Embedding depth	28 mm
Depth	38 mm
Width	86 mm
Height	86 mm
Standards	EN 60669-2-5 IEC 60669-2-5 CE
Product certifications	Zigbee 3.0

#### Environment

Ambient air temperature for operation	-1045 °C	
Relative humidity	1095 %	
IP degree of protection	IP20	
Operating altitude	<= 2000 m	
Environmental characteristic	Indoor use	

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	9.5 cm
Package 1 Length	12.5 cm
Package 1 Weight	187.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	20
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	4.26 kg
Unit Type of Package 3	P06
Number of Units in Package 3	480
Package 3 Height	105.0 cm
Package 3 Width	60.0 cm
Package 3 Length	80.0 cm
Package 3 Weight	112.12 kg

### Offer Sustainability

one: ouclamasinty		
Sustainable offer status	Green Premium product	
REACh Regulation	☑ REACh Declaration	
EU RoHS Directive	Compliant with Exemptions	
Mercury free	Yes	
China RoHS Regulation	China RoHS Declaration	
RoHS exemption information	₫Yes	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	End Of Life Information	