

### Main

|                                    |                         |
|------------------------------------|-------------------------|
| Range                              | Linergy                 |
| Product name                       | FT                      |
| Device short name                  | GV2AF                   |
| Product or component type          | Combination block       |
| Accessory / separate part category | Connection accessory    |
| Range compatibility                | TeSys GV2<br>TeSys Deca |

### Complementary

|                                |              |
|--------------------------------|--------------|
| Product compatibility          | LC1D09...D38 |
| Poles description              | 3P           |
| [Ie] rated operational current | 32 A         |
| Quantity per set               | Set of 10    |
| Net weight                     | 0.016 kg     |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 9.500 cm  |
| Package 1 Width              | 10.000 cm |
| Package 1 Length             | 15.000 cm |
| Package 1 Weight             | 22.000 g  |
| Unit Type of Package 2       | BB1       |
| Number of Units in Package 2 | 10        |
| Package 2 Height             | 9.500 cm  |
| Package 2 Width              | 10.000 cm |
| Package 2 Length             | 15.000 cm |
| Package 2 Weight             | 268.000 g |
| Unit Type of Package 3       | S03       |
| Number of Units in Package 3 | 140       |
| Package 3 Height             | 30.000 cm |
| Package 3 Width              | 30.000 cm |
| Package 3 Length             | 40.000 cm |
| Package 3 Weight             | 4.196 kg  |

### Offer Sustainability

|                          |                                |
|--------------------------|--------------------------------|
| Sustainable offer status | Green Premium product          |
| REACH Regulation         | REACH Declaration              |
| REACH free of SVHC       | Yes                            |
| EU RoHS Directive        | Compliant  EU RoHS Declaration |
| Toxic heavy metal free   | Yes                            |


|                            |   |
|----------------------------|---|
| Mercury free               | Yes   |
| China RoHS Regulation      | <a href="#">China RoHS Declaration</a>  |
| RoHS exemption information | <a href="#">Yes</a>   |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>   |
| Circularity Profile        | <a href="#">End Of Life Information</a>   |
| WEEE                       | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|


## GV2AF01

Combination GV2ME + TeSys k contactor




## GV2AF3

Combination GV2ME + TeSys d contactor



| GV2ME + | LC1D09...D18 | LC1D25 and D32 |
|---------|--------------|----------------|
| b       | 176.4        | 186.8          |
| c1      | 94.1         | 100.4          |
| c       | 99.6         | 105.9          |

Combination GV2P + TeSys d contactor



| GV2P + | LC1D09...D18 | LC1D25 and D32 |
|--------|--------------|----------------|
| b      | 176.4        | 186.8          |
| c1     | 100.1        | 106.4          |
| c      | 105.6        | 111.9          |
| d1     | 95           | 95             |
| d      | 100.5        | 100.5          |