Product data sheet Characteristics

LV540050

trip unit accessory, ComPact NSX100 to 250, SDE adaptor



Main

Range of product	EasyPact CVS400630
Range	EasyPact
Device short name	SDE adaptor
Product or component type	SDE adaptor
Device application	Control
Range compatibility	EasyPact EasyPact CVS circuit breaker
Accessory / separate part category	Relay accessory
Trip unit name	MA TM ETS 2.3

Packing Units

Number of Units in Package 1 1 Package 1 Height 4.0 cm Package 1 Width 6.0 cm Package 1 Length 8.0 cm Package 1 Weight 28.0 g Unit Type of Package 2 CAR Number of Units in Package 2 180 Package 2 Height 30.0 cm Package 2 Width 40.0 cm	
Package 1 Width 6.0 cm Package 1 Length 8.0 cm Package 1 Weight 28.0 g Unit Type of Package 2 CAR Number of Units in Package 2 180 Package 2 Height 30.0 cm Package 2 Width 40.0 cm	
Package 1 Length 8.0 cm Package 1 Weight 28.0 g Unit Type of Package 2 CAR Number of Units in Package 2 180 Package 2 Height 30.0 cm Package 2 Width 40.0 cm	
Package 1 Weight 28.0 g Unit Type of Package 2 CAR Number of Units in Package 2 180 Package 2 Height 30.0 cm Package 2 Width 40.0 cm	
Unit Type of Package 2 CAR Number of Units in Package 2 180 Package 2 Height 30.0 cm Package 2 Width 40.0 cm	
Number of Units in Package 2180Package 2 Height30.0 cmPackage 2 Width40.0 cm	
Package 2 Height 30.0 cm Package 2 Width 40.0 cm	
Package 2 Width 40.0 cm	
Package 2 Length 60.0 cm	
Package 2 Weight 5.04 kg	
Unit Type of Package 3 PAL	
Number of Units in Package 3 2160	
Package 3 Height 90.0 cm	
Package 3 Width 80.0 cm	
Package 3 Length 120.0 cm	
Package 3 Weight 60.48 kg	

Offer Sustainability

REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	€Yes
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not inherent or and is not to be used for determining suitability or inhability of these products for specific user applications. It is the dourn and resting of the products with respect to the relevant specific application or use thereof. It is the duty of any contribution or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.